

Effective from  
25/07/2015

## IQRF price list

### Data Controlled Transceivers\*

Ordering code	Action code	Description	Release	LT weeks	PKG QTY	1+ pc	5+ pcs	20+ pcs	100+ pcs	1k+ pcs
DCTR-52D		Data Controlled TR-52D Transceiver	A	3	10	22,14	22,14	17,36	13,84	9,90
DCTR-52DA		Data Controlled TR-52DA Transceiver	A	3	10	23,08	23,08	18,11	14,45	10,35
DCTR-52DAT		Data Controlled TR-52DAT Transceiver	A	3	10	24,58	24,58	19,39	15,63	11,42
DCTR-52DC		Data Controlled TR-52DC Transceiver	A	3	10	23,19	23,19	22,19	14,52	10,40
DCTR-52DT		Data Controlled TR-52DT Transceiver	A	3	10	24,39	24,39	23,39	15,72	10,97
DCTR-52DCT		Data Controlled TR-52DCT Transceiver	A	3	10	25,44	25,44	24,44	16,39	11,47
DCTR-52D-433		Data Controlled TR-52D-433 Transceiver	A	3	10	23,19	23,19	18,19	14,52	10,40
DCTR-52DC-433		Data Controlled TR-52DC-433 Transceiver	A	3	10	24,24	24,24	23,24	15,19	10,90
DCTR-54D		Data Controlled TR-54D Transceiver	A	3	10	20,82	20,82	16,32	12,99	9,27
DCTR-54DA		Data Controlled TR-54DA Transceiver	A	3	10	21,72	21,72	17,03	13,57	9,70
DCTR-55DA		Data Controlled TR-55DA Transceiver	A	3	10	20,99	20,99	16,45	13,10	9,35
DCTR-56D		Data Controlled TR-56D Transceiver	A	3	10	20,67	20,67	16,21	12,90	9,20
DCTR-56D-433		Data Controlled TR-56D-433 Transceiver	A	3	10	21,63	21,63	16,96	13,51	9,66
DCTR-56DA		Data Controlled TR-56DA Transceiver	A	3	10	21,55	21,55	16,90	13,46	9,62
DCTR-58DA-RJ		Data Controlled TR-58DA-RJ Transceiver	A	3	10	33,79	33,79	26,52	21,33	15,45
DCTR-72DA	new	Data Controlled TR-72DA Transceiver	-	4 - 5	100	-	-	-	13,95	9,85
DCTR-72DAT	new	Data Controlled TR-72DAT Transceiver	-	4 - 5	10	21,43	21,43	17,26	14,00	10,25
DCTR-72DC	new	Data Controlled TR-72DC Transceiver	-	4 - 5	100	-	-	-	14,02	9,90
DCTR-72DCT	new	Data Controlled TR-72DCT Transceiver	-	4 - 5	10	21,95	21,95	17,68	14,50	10,50
DCTR-76D	new	Data Controlled TR-76D Transceiver	-	6 - 8	10	19,85	19,85	16,03	12,40	9,10
DCTR-76DA	new	Data Controlled TR-76DA Transceiver	-	6 - 8	10	20,06	20,06	16,19	12,90	9,50

### Smart Transceivers

\*Smart Transceivers regular prices apply for IQRF Alliance members

Ordering code	Action code	Description	Release	LT weeks	PKG QTY	1+ pc	5+ pcs	20+ pcs	100+ pcs	1k+ pcs
TR-52B		SIM, temper. sensor	A	3	10	19,95	19,95	15,68	SPA	SPA
TR-52BA		SIM, temper. sensor, PCB antenna	A	3	10	20,10	20,10	15,79	SPA	SPA
TR-52BC		SIM, temper. sensor, antenna coax connector	A	3	10	20,80	20,80	16,34	SPA	SPA
TR-53B		SIM + SMT + vertical mounting	A	3	10	19,95	19,95	15,68	SPA	SPA
TR-53BA		SIM + SMT + vertical mounting, PCB antenna	A	3	10	20,10	20,10	15,79	SPA	SPA
TR-53BC		SIM + SMT + vertical mounting, antenna coax connector	A	3	10	20,80	20,80	16,34	SPA	SPA
TR-52D		SIM, enhanced MCU	A	3	10	17,64	17,64	13,86	11,34	8,40
TR-52DA		SIM, enhanced MCU, PCB antenna	A	3	10	18,58	18,58	14,61	11,95	8,85
TR-52DAT		SIM, enhanced MCU, temperature sensor, PCB antenna	A	3	10	20,08	20,08	15,89	13,13	9,92
TR-52DC		SIM, enhanced MCU, antenna coax connector	A	3	10	18,69	18,69	18,69	12,02	8,90
TR-52DT		SIM, enhanced MCU, temperature sensor	A	3	10	19,89	19,89	19,89	13,22	9,47
TR-52DCT		SIM, enhanced MCU, temperature sensor, antenna coax connector	A	3	10	20,94	20,94	20,94	13,89	9,97
TR-52D-433		SIM, enhanced MCU, 433 MHz	A	3	10	18,69	18,69	14,69	12,02	8,90
TR-52DC-433		SIM, enhanced MCU, antenna coax connector, 433 MHz	A	3	10	19,74	19,74	19,74	12,69	9,40
TR-54D		SMT, no LDO, 11 I/Os, enhanced MCU	A	3	10	16,32	16,32	12,82	10,49	7,77
TR-54DA		SMT, no LDO, 11 I/Os, enhanced MCU, PCB antenna	A	3	10	17,22	17,22	13,53	11,07	8,20
TR-55DA		Vertical mounting, enhanced MCU, PCB antenna	A	3	10	16,49	16,49	12,95	10,60	7,85
TR-56D		SMT, no LDO, 11 I/Os, enhanced MCU, the smallest TR (15.2x14.9 mm)	A	3	10	16,17	16,17	12,71	10,40	7,70
TR-56D-433		SMT, no LDO, 11 I/Os, enhanced MCU, the smallest TR (15.2x14.9 mm), 433 Mhz	A	3	10	17,13	17,13	13,46	11,01	8,16
TR-56DA		SMT, no LDO, 11 I/Os, enhanced MCU, the smallest TR (15.2x14.9 mm), PCB antenna	A	3	10	17,05	17,05	13,40	10,96	8,12
TR-58DA-RJ		Fully coated, RJ-45 connector, 8 pins, 4 I/Os, temper. sensor, PCB antenna	A	3	10	29,29	29,29	23,02	18,83	13,95
TR-62D	EAP	Transceiver module 20 mW for Wireless M-Bus, without IQRF OS	-	-	10	20,50	20,50	16,11	13,18	9,76
TR-62DA	EAP	Transceiver module 20 mW for Wireless M-Bus, without IQRF OS	-	-	10	21,44	21,44	16,86	13,79	10,21
TR-72DA	new	SIM, enhanced MCU, PCB antenna, RFIC Spirit1 12.5mW	-	3	100	-	-	-	11,95	8,85
TR-72DAT	new	SIM, enhanced MCU, PCB antenna, temperature sensor, RFIC Spirit1 12.5mW	-	3	100	-	-	-	12,00	9,25
TR-72DC	new	SIM, enhanced MCU, RFIC Spirit1 12.5mW, antenna coax connector	-	3	100	-	-	-	12,02	8,90
TR-72DCT	new	SIM, enhanced MCU, RFIC Spirit1 12.5mW, temper.sensor, antenna coax connector	-	3	100	-	-	-	12,50	9,50
TR-76D	new	SMT, no LDO, 11 I/Os, enhanced MCU, RFIC Spirit1 12,5mW	-	3	100	-	-	-	10,40	8,10
TR-76DA	new	SMT, no LDO, 11 I/Os, enhanced MCU, RFIC Spirit1 12,5mW, PCB antenna	-	3	100	-	-	-	10,90	8,50
TR-72DA-WMB	EAP	TR-72DA Transceiver for Wireless M-Bus	-	3	100	-	-	-	13,95	9,85
TR-72DAT-WMB	EAP	TR-72DAT Transceiverfor Wireless M-Bus	-	3	10	21,43	21,43	17,26	14,00	10,25
TR-72DC-WMB	EAP	TR-72DC Transceiverfor Wireless M-Bus	-	3	100	-	-	-	14,02	9,90
TR-72DCT-WMB	EAP	TR-72DCT Transceiver for Wireless M-Bus	-	3	10	21,95	21,95	17,68	14,50	10,50
TR-76D-WMB	EAP	TR-76D Transceiver for Wireless M-Bus	-	3	10	19,85	19,85	16,03	12,40	9,10
TR-76DA-WMB	EAP	TR-76DA Transceiver for Wireless M-Bus	-	3	10	20,06	20,06	16,19	12,90	9,50

Effective from  
25/07/2015

## IQRF price list

### Visual Control Panels

Ordering code	Action code	Description	Release	LT weeks	PKG QTY	1+ pc	5+ pcs	20+ pcs	100+ pcs	1k+ pcs
VCP-01		3.2" display, USB, Ethernet, RS485, interface IQRF	A	3	1	119,00	107,10	101,15	95,20	SPA
VCP-02		For panel mounting. 3.2" display, interface USB, Ethernet, RS485, IQRF, system socket	A	3	1	79,00	71,10	67,15	63,20	SPA

### Gateways and End Devices

Ordering code	Action code	Description	Release	LT weeks	PKG QTY	1+ pc	5+ pcs	20+ pcs	100+ pcs	1k+ pcs
GW-ETH-02		IQRF - Ethernet gateway and datalogger	A	3	1	85,00	76,50	SPA	SPA	SPA
GW-ETH-02A (52D)	new	IQRF - Ethernet gateway and datalogger. Internal web server. Cloud support. DCTR-52DA inside.	-	-	1	89,00	80,10	SPA	SPA	SPA
GW-ETH-02A (72D)	new	IQRF - Ethernet gateway and datalogger. Internal web server. Cloud support. DCTR-72DA inside	-	-	1	89,00	80,10	SPA	SPA	SPA
GW-WIFI-01 (52D)	new	IQRF - WiFi gateway and datalogger. Internal web server. Cloud support. DCTR-52DA inside.	-	-	1	89,00	80,10	SPA	SPA	SPA
GW-WIFI-01 (72D)	new	IQRF - WiFi gateway and datalogger. Internal web server. Cloud support. DCTR-72DA inside.	-	-	1	89,00	80,10	SPA	SPA	SPA
GW-USB-03A		Ready-to-use IQRF / USB Gateway, programmable	A	3	1	59,50	53,55	SPA	SPA	SPA
GW-USB-04		Ready-to-use IQRF / USB Gateway, USB stick, programmable	A	3	1	49,00	44,10	SPA	SPA	SPA
GW-USB-05		Ready-to-use IQRF - USB Gateway, USB stick, programmable, with TR-52D	A	3	1	49,00	44,10	SPA	SPA	SPA
GW-USB-13A		Generic IQRF / USB Gateway, OLED display, fully user programmable	A	3	1	73,50	66,15	SPA	SPA	SPA
GW-GSM-02A (52D)	new	IQRF - GPRS gateway and datalogger. Cloud support. DCTR-52DA inside.	-	-	1	99,00	89,10	SPA	SPA	SPA
GW-GSM-02A (72D)	new	IQRF - GPRS gateway and datalogger. Cloud support. DCTR-72DA inside.	-	-	1	99,00	89,10	SPA	SPA	SPA
RC-03		Remote controller, 3 buttons, programmable, rechargeable LiPol accumulator	A	3	1	38,50	34,65	SPA	SPA	SPA
RC-04		Remote controller, 4 buttons, programmable	A	3	1	28,00	25,20	23,80	SPA	SPA
RC-04D	new	Remote controller, 4 buttons, serial EEPROM, programmable	A	3	1	28,00	25,20	23,80	SPA	SPA
SHD-SE-01		Multifunctional sensor for Smart House	A	3	1	39,00	35,10	SPA	SPA	SPA
RT-230-05		Router, plug-and-play, to mains socket (Europe only), 110-230 V	A	3	1	43,20	38,88	SPA	SPA	SPA
DV-SW1-05		Remotely controlled switch, 3A relay, to mains socket (Europe only), 110 - 230 V	A	3	1	64,00	57,60	SPA	SPA	SPA

### IQRF Specials

Ordering code	Action code	Description	Release	LT weeks	PKG QTY	1+ pc	5+ pcs	20+ pcs	100+ pcs	1k+ pcs
MID cloning	special	MID change for coordinator or node restore	A	-	-	45,00	-	-	-	-
Custom programming	special	Custom program upload, MOQ 200 pcs	A	-	-	-	-	-	0,20	0,20

# IQRF price list

## Development Tools

Ordering code	Action code	Description	Release	LT weeks	PKG QTY	1+ pc	5+ pcs	20+ pcs	100+ pcs	1k+ pcs
DS-START-04 (72D)	new	Development set "START" for immediate start with IQRF DCTR-72DAT	A	3	1	144,00	129,60	122,40	SPA	SPA
DS-DPA-02 (72D)	new	Development set for DPA with DCTR-72DAT	A	3	1	279,00	269,35	SPA	SPA	SPA
DS-START-03		Development set "START" for immediate start with IQRF	A	3	1	149,00	134,10	126,65	SPA	SPA
DS-DPA-01		Development set for DPA	A	3	1	289,00	260,10	SPA	SPA	SPA
DS-MESH-02D		IQRF Development set "MESH", 18 nodes. 3 DDC kits included	A	3	1	943	848,7	801,55	SPA	SPA
DS-WMBUS-01	EAP	Development set for Wireless M-Bus	-	-	1	199,00	179,10	169,15	SPA	SPA
DS-VCP-01		Development set for VCP-01	A	3	1	225,00	202,50	SPA	SPA	SPA
DS-VCP-02		Development set for VCP-02	A	3	1	249,00	224,10	SPA	SPA	SPA
DS-PAGER-02		Development set "PAGER" for development of PAGER applications	A	4	1	109,00	98,10	92,65	SPA	SPA
DS-SHD-SE-01		Development set for multifunctional sensor SHD-SE-01	A	3	1	73,75	66,38	SPA	SPA	SPA
CK-USB-04		IQRF programmer & debugger, via USB. SIM connector with metallic holder	A	3	1	55,00	49,50	46,75	SPA	SPA
CK-USB-04A	new	IQRF programmer & debugger, via USB. SIM connector with plastic holder	A	3	1	55,00	49,50	46,75	SPA	SPA
DK-EVAL-04		Evaluation kit for TRs. DDC base device, LiPol accumulator, plastic SIM connector holder	A	3	1	35,00	31,50	29,75	SPA	SPA
DK-EVAL-04A	new	Evaluation kit for TRs. DDC base device, LiPol accumulator, plastic SIM connector holder	A	3	1	35,00	31,50	29,75	SPA	SPA
TRDB-54DA		Two development boards for solderless TR-54DA prototyping	A	3	1	29,00	26,10	24,65	SPA	SPA
KON-TR-01P		Programming adapter to upload a code in soldered TR-54D	A	3	1	6,95	6,26	5,91	SPA	SPA
KON-TR-01		Range check adapter for DK-EVAL-04	A	3	1	6,95	6,26	5,91	SPA	SPA
KON-TR-01L		Adapter for using TR-55DA, similar with DK-EVAL-04	A	3	1	6,95	6,26	5,91	SPA	SPA
DDC-IO-01		DDC I/O kit: 6x I/O, buttons with selectable pull-ups / pull-downs, 6x LED	A	3	1	27,50	24,75	23,38	SPA	SPA
DDC-SE-01		DDC sensor kit: temperature, voltage, illumination, potentiometer	A	3	1	27,50	24,75	23,38	SPA	SPA
DDC-RE-01		DDC relay kit: 2 bistabile relays 1A, zero power	A	3	1	27,50	24,75	23,38	SPA	SPA
CATS-01		RF scanner. Not only for IQRF.	A	3	1	199,00	179,10	169,15	SPA	SPA
DS-UART		Development set "UART" for UART communication	A	3	1	79,00	71,10	67,15	SPA	SPA
WS-CC5x-IQRF		C compiler CC5x standard (for registered IQRF users)	A	1	1	220,00	SPA	SPA	SPA	SPA

## Accessories and Others

Ordering code	Action code	Description	Release	LT weeks	PKG QTY	1+ pc	5+ pcs	20+ pcs	100+ pcs	1k+ pcs
BK-CR2032		3 V lithium battery, coin cell	A	1	20	0,45	0,41	0,38	0,32	SPA
CAB-SER-02		Serial cable for UART (RS-232) connectivity between TR and PC	A	1	1	16,50	14,85	14,03	11,55	SPA
CAB-USBABMICRO-100		USB cable: USB A – micro USB, 1,0m	A	1	1	2,05	1,85	1,74	1,44	SPA
CAB-USBABMICRO-19	new	USB cable: USB A – micro USB, 18,5 cm	A	1	1	1,23	1,11	1,05	0,86	SPA
KON-SIM-01		SIM connector for TR modules, 8 pins, SMT	A	1	1	0,95	0,86	0,81	0,67	SPA
KON-SIM-02	new	SIM connector for TR modules, 8 pins, SMT	A	1	1	1,90	1,71	1,62	1,33	SPA
MI-TY-A6-microUSB		Power supply adapter, 110-230 V AC >> 5 V DC, 500 mA, cord with micro USB connector	A	1	1	5,85	5,27	4,97	4,10	SPA
TY-A6A		Power supply adapter, 110-230 V AC >> 5 V DC, 500mA, USB A connector, without cord	A	1	1	5,85	5,27	4,97	4,10	SPA
DK-PWR-01		Expander to supply/charge up to 5 DK-EVAL-0x kits from one source	A	2	1	24,90	22,41	21,17	SPA	SPA
AN-01		Antenna 868 MHz, lacquered, silvered terminal, to be soldered to TR	A	2	1	1,25	1,13	1,06	0,88	SPA
AN-06		Antenna 868 / 916 MHz for panel mounting, SMA connector	A	1	1	3,90	3,51	3,32	2,73	SPA
AN-07		Antenna 868 / 916 MHz for panel mounting, SMA connector	A	1	1	3,75	3,38	3,19	2,63	SPA
AN-08	new	Yagi antenna 868 MHz, SMA connector	A	1	1	52,60	47,34	SPA	SPA	SPA
AN-09	new	Planar antenna 868 MHz, SMA connector	A	1	1	60,07	54,07	SPA	SPA	SPA
AN-D01		PCB antenna 868 / 916 MHz directly solderable to TR module	A	2	1	1,25	1,13	1,06	0,88	SPA
AN-D01-U.FL-100		PCB antenna 868 / 916 MHz with CAB-U.FL-100 soldered	A	4	1	4,95	4,46	4,21	3,47	SPA
AN-D02-433		PCB antenna 433 MHz directly solderable to TR module	A	2	1	1,85	1,67	1,57	1,30	SPA
CAB-U.FL/SMA-05		Antenna cable 5 cm, KON-U.FL-R-SMT >> SMA	A	1	20	3,45	3,11	2,93	2,42	SPA
CAB-U.FL/SMA-15		Antenna cable 15 cm, KON-U.FL-R-SMT >> SMA	A	1	10	3,55	3,20	3,02	2,49	SPA
CAB-U.FL/SMA-50		Antenna cable 50 cm, KON-U.FL-R-SMT >> SMA	A	1	10	3,65	3,29	3,10	2,56	SPA
CAB-U.FL-100		Antenna cable 100cm, KON-U.FL-R-SMT >> wire	A	1	1	3,65	3,29	3,10	2,56	SPA
CAB-U.FL-18		Antenna cable 18cm, KON-U.FL-R-SMT >> wire	A	1	1	3,55	3,20	3,02	2,49	SPA
KON-U.FL-R-SMT		Coaxial ultra small PCB connector for TR modules to fit CAB-U.FL-xxx	A	1	1	0,81	0,73	0,69	0,57	SPA