

Effective from  
10/12/2015

# IQRF price list

## Data Controlled Transceivers\*

| Ordering code | Action code | Description                             | Release | LT weeks | PKG QTY | 1+ pc | 5+ pcs | 20+ pcs | 100+ pcs | 1k+ pcs |
|---------------|-------------|---|---------|----------|---------|-------|--------|---------|----------|---------|
| DCTR-52D      |             | Data Controlled TR-52D Transceiver      | A       | 3        | 10      | 22,14 | 22,14  | 17,36   | 13,84    | 9,90    |
| DCTR-52DA     |             | Data Controlled TR-52DA Transceiver     | A       | 3        | 10      | 23,08 | 23,08  | 18,11   | 14,45    | 10,35   |
| DCTR-52DAT    |             | Data Controlled TR-52DAT Transceiver    | A       | 3        | 10      | 24,58 | 24,58  | 19,39   | 15,63    | 11,42   |
| DCTR-52DC     |             | Data Controlled TR-52DC Transceiver     | A       | 3        | 10      | 23,19 | 23,19  | 22,19   | 14,52    | 10,40   |
| DCTR-52DT     |             | Data Controlled TR-52DT Transceiver     | A       | 3        | 10      | 24,39 | 24,39  | 23,39   | 15,72    | 10,97   |
| DCTR-52DCT    |             | Data Controlled TR-52DCT Transceiver    | A       | 3        | 10      | 25,44 | 25,44  | 24,44   | 16,39    | 11,47   |
| DCTR-52D-433  |             | Data Controlled TR-52D-433 Transceiver  | A       | 3        | 10      | 23,19 | 23,19  | 18,19   | 14,52    | 10,40   |
| DCTR-52DC-433 |             | Data Controlled TR-52DC-433 Transceiver | A       | 3        | 10      | 24,24 | 24,24  | 23,24   | 15,19    | 10,90   |
| DCTR-54D      |             | Data Controlled TR-54D Transceiver      | A       | 3        | 10      | 20,82 | 20,82  | 16,32   | 12,99    | 9,27    |
| DCTR-54DA     |             | Data Controlled TR-54DA Transceiver     | A       | 3        | 10      | 21,72 | 21,72  | 17,03   | 13,57    | 9,70    |
| DCTR-55DA     |             | Data Controlled TR-55DA Transceiver     | A       | 3        | 10      | 20,99 | 20,99  | 16,45   | 13,10    | 9,35    |
| DCTR-56D      |             | Data Controlled TR-56D Transceiver      | A       | 3        | 10      | 20,67 | 20,67  | 16,21   | 12,90    | 9,20    |
| DCTR-56D-433  |             | Data Controlled TR-56D-433 Transceiver  | A       | 3        | 10      | 21,63 | 21,63  | 16,96   | 13,51    | 9,66    |
| DCTR-56DA     |             | Data Controlled TR-56DA Transceiver     | A       | 3        | 10      | 21,55 | 21,55  | 16,90   | 13,46    | 9,62    |
| DCTR-58DA-RJ  |             | Data Controlled TR-58DA-RJ Transceiver  | A       | 3        | 10      | 33,79 | 33,79  | 26,52   | 21,33    | 15,45   |
| DCTR-72DA     | new         | Data Controlled TR-72DA Transceiver     | A       | 3        | 100     | -     | -      | -       | 13,95    | 9,85    |
| DCTR-72DAT    | new         | Data Controlled TR-72DAT Transceiver    | A       | 3        | 10      | 21,43 | 21,43  | 17,26   | 14,00    | 10,25   |
| DCTR-72DC     | new         | Data Controlled TR-72DC Transceiver     | A       | 3        | 100     | -     | -      | -       | 14,02    | 9,90    |
| DCTR-72DCT    | new         | Data Controlled TR-72DCT Transceiver    | A       | 3        | 10      | 21,95 | 21,95  | 17,68   | 14,50    | 10,50   |
| DCTR-76D      | new         | Data Controlled TR-76D Transceiver      | A       | 3        | 10      | 19,85 | 19,85  | 16,03   | 12,40    | 9,10    |
| DCTR-76DA     | new         | Data Controlled TR-76DA Transceiver     | A       | 3        | 10      | 20,06 | 20,06  | 16,19   | 12,90    | 9,50    |

## Smart Transceivers

\*Smart Transceivers regular prices apply for IQRF Alliance members

| Ordering code | Action code | Description   | Release | LT weeks | PKG QTY | 1+ pc | 5+ pcs | 20+ pcs | 100+ pcs | 1k+ pcs |
|---------------|-------------|---|---------|----------|---------|-------|--------|---------|----------|---------|
| TR-52B        |             | SIM, temper. sensor   | A       | 3        | 10      | 19,95 | 19,95  | 15,68   | SPA      | SPA     |
| TR-52BA       |             | SIM, temper. sensor, PCB antenna  | A       | 3        | 10      | 20,10 | 20,10  | 15,79   | SPA      | SPA     |
| TR-52BC       |             | SIM, temper. sensor, antenna coax connector                                     | A       | 3        | 10      | 20,80 | 20,80  | 16,34   | SPA      | SPA     |
| TR-53B        |             | SIM + SMT + vertical mounting   | A       | 3        | 10      | 19,95 | 19,95  | 15,68   | SPA      | SPA     |
| TR-53BA       |             | SIM + SMT + vertical mounting, PCB antenna                                      | A       | 3        | 10      | 20,10 | 20,10  | 15,79   | SPA      | SPA     |
| TR-53BC       |             | SIM + SMT + vertical mounting, antenna coax connector                           | A       | 3        | 10      | 20,80 | 20,80  | 16,34   | SPA      | SPA     |
| TR-52D        |             | SIM, enhanced MCU   | A       | 3        | 10      | 17,64 | 17,64  | 13,86   | 11,34    | 8,40    |
| TR-52DA       |             | SIM, enhanced MCU, PCB antenna  | A       | 3        | 10      | 18,58 | 18,58  | 14,61   | 11,95    | 8,85    |
| TR-52DAT      |             | SIM, enhanced MCU, temperature sensor, PCB antenna                              | A       | 3        | 10      | 20,08 | 20,08  | 15,89   | 13,13    | 9,92    |
| TR-52DC       |             | SIM, enhanced MCU, antenna coax connector                                       | A       | 3        | 10      | 18,69 | 18,69  | 18,69   | 12,02    | 8,90    |
| TR-52DT       |             | SIM, enhanced MCU, temperature sensor   | A       | 3        | 10      | 19,89 | 19,89  | 19,89   | 13,22    | 9,47    |
| TR-52DCT      |             | SIM, enhanced MCU, temperature sensor, antenna coax connector                   | A       | 3        | 10      | 20,94 | 20,94  | 20,94   | 13,89    | 9,97    |
| TR-52D-433    |             | SIM, enhanced MCU, 433 MHz  | A       | 3        | 10      | 18,69 | 18,69  | 14,69   | 12,02    | 8,90    |
| TR-52DC-433   |             | SIM, enhanced MCU, antenna coax connector, 433 MHz                              | A       | 3        | 10      | 19,74 | 19,74  | 19,74   | 12,69    | 9,40    |
| TR-54D        |             | SMT, no LDO, 11 I/Os, enhanced MCU  | A       | 3        | 10      | 16,32 | 16,32  | 12,82   | 10,49    | 7,77    |
| TR-54DA       |             | SMT, no LDO, 11 I/Os, enhanced MCU, PCB antenna                                 | A       | 3        | 10      | 17,22 | 17,22  | 13,53   | 11,07    | 8,20    |
| TR-55DA       |             | Vertical mounting, enhanced MCU, PCB antenna                                    | A       | 3        | 10      | 16,49 | 16,49  | 12,95   | 10,60    | 7,85    |
| TR-56D        |             | SMT, no LDO, 11 I/Os, enhanced MCU, the smallest TR (15.2x14.9 mm)              | A       | 3        | 10      | 16,17 | 16,17  | 12,71   | 10,40    | 7,70    |
| TR-56D-433    |             | SMT, no LDO, 11 I/Os, enhanced MCU, the smallest TR (15.2x14.9 mm), 433 Mhz     | A       | 3        | 10      | 17,13 | 17,13  | 13,46   | 11,01    | 8,16    |
| TR-56DA       |             | SMT, no LDO, 11 I/Os, enhanced MCU, the smallest TR (15.2x14.9 mm), PCB antenna | A       | 3        | 10      | 17,05 | 17,05  | 13,40   | 10,96    | 8,12    |
| TR-58DA-RJ    |             | Fully coated, RJ-45 connector, 8 pins, 4 I/Os, temper. sensor, PCB antenna      | A       | 3        | 10      | 29,29 | 29,29  | 23,02   | 18,83    | 13,95   |
| TR-62D        | EAP         | Transceiver module 20 mW for Wireless M-Bus, without IQRF OS                    | -       | -        | 10      | 20,50 | 20,50  | 16,11   | 13,18    | 9,76    |
| TR-62DA       | EAP         | Transceiver module 20 mW for Wireless M-Bus, without IQRF OS                    | -       | -        | 10      | 21,44 | 21,44  | 16,86   | 13,79    | 10,21   |
| TR-72DA       | new         | SIM, enhanced MCU, PCB antenna, RFIC Spirit1 12.5mW                             | A       | 3        | 100     | -     | -      | -       | 11,95    | 8,85    |
| TR-72DAT      | new         | SIM, enhanced MCU, PCB antenna, temperature sensor, RFIC Spirit1 12.5mW         | A       | 3        | 100     | -     | -      | -       | 12,00    | 9,25    |
| TR-72DC       | new         | SIM, enhanced MCU, RFIC Spirit1 12.5mW, antenna coax connector                  | A       | 3        | 100     | -     | -      | -       | 12,02    | 8,90    |
| TR-72DCT      | new         | SIM, enhanced MCU, RFIC Spirit1 12.5mW, temper.sensor, antenna coax connector   | A       | 3        | 100     | -     | -      | -       | 12,50    | 9,50    |
| TR-76D        | new         | SMT, no LDO, 11 I/Os, enhanced MCU, RFIC Spirit1 12,5mW                         | A       | 3        | 100     | -     | -      | -       | 10,40    | 8,10    |
| TR-76DA       | new         | SMT, no LDO, 11 I/Os, enhanced MCU, RFIC Spirit1 12,5mW, PCB antenna            | A       | 3        | 100     | -     | -      | -       | 10,90    | 8,50    |
| TR-72DA-WMB   | EAP         | TR-72DA Transceiver for Wireless M-Bus  | -       | 3        | 100     | -     | -      | -       | 13,95    | 9,85    |
| TR-72DAT-WMB  | EAP         | TR-72DAT Transceiverfor Wireless M-Bus  | -       | 3        | 10      | 21,43 | 21,43  | 17,26   | 14,00    | 10,25   |
| TR-72DC-WMB   | EAP         | TR-72DC Transceiverfor Wireless M-Bus   | -       | 3        | 100     | -     | -      | -       | 14,02    | 9,90    |
| TR-72DCT-WMB  | EAP         | TR-72DCT Transceiver for Wireless M-Bus   | -       | 3        | 10      | 21,95 | 21,95  | 17,68   | 14,50    | 10,50   |
| TR-76D-WMB    | EAP         | TR-76D Transceiver for Wireless M-Bus   | -       | 3        | 10      | 19,85 | 19,85  | 16,03   | 12,40    | 9,10    |
| TR-76DA-WMB   | EAP         | TR-76DA Transceiver for Wireless M-Bus  | -       | 3        | 10      | 20,06 | 20,06  | 16,19   | 12,90    | 9,50    |

Effective from  
10/12/2015

## IQRF price list

### Visual Control Panels

| Ordering code | Action code | Description   | Release | LT weeks | PKG QTY | 1+ pc  | 5+ pcs | 20+ pcs | 100+ pcs | 1k+ pcs |
|---------------|-------------|---|---------|----------|---------|--------|--------|---------|----------|---------|
| VCP-01        |             | 3.2" display, USB, Ethernet, RS485, interface IQRF                                    | A       | 3        | 1       | 119,00 | 107,10 | 101,15  | 95,20    | SPA     |
| VCP-02        |             | For panel mounting. 3.2" display, interface USB, Ethernet, RS485, IQRF, system socket | A       | 3        | 1       | 79,00  | 71,10  | 67,15   | 63,20    | SPA     |

### Gateways and End Devices

| Ordering code    | Action code | Description   | Release | LT weeks | PKG QTY | 1+ pc | 5+ pcs | 20+ pcs | 100+ pcs | 1k+ pcs |
|------------------|-------------|---|---------|----------|---------|-------|--------|---------|----------|---------|
| GW-ETH-02A (52D) | new         | IQRF - Ethernet gateway and datalogger. Internal web server. Cloud support. DCTR-52DA inside. | A       | 3        | 1       | 89,00 | 80,10  | SPA     | SPA      | SPA     |
| GW-ETH-02A (72D) | new         | IQRF - Ethernet gateway and datalogger. Internal web server. Cloud support. DCTR-72DA inside  | A       | 3        | 1       | 89,00 | 80,10  | SPA     | SPA      | SPA     |
| GW-WIFI-01 (52D) | new         | IQRF - WiFi gateway and datalogger. Internal web server. Cloud support. DCTR-52DA inside.     | -       | -        | 1       | 89,00 | 80,10  | SPA     | SPA      | SPA     |
| GW-WIFI-01 (72D) | new         | IQRF - WiFi gateway and datalogger. Internal web server. Cloud support. DCTR-72DA inside.     | -       | -        | 1       | 89,00 | 80,10  | SPA     | SPA      | SPA     |
| GW-USB-03A       |             | Ready-to-use IQRF / USB Gateway, programmable   | A       | 3        | 1       | 59,50 | 53,55  | SPA     | SPA      | SPA     |
| GW-USB-04        |             | Ready-to-use IQRF / USB Gateway, USB stick, programmable, with TR-5xB                         | A       | 3        | 1       | 49,00 | 44,10  | SPA     | SPA      | SPA     |
| GW-USB-05        |             | Ready-to-use IQRF - USB Gateway, USB stick, programmable, with TR-52D                         | A       | 3        | 1       | 49,00 | 44,10  | SPA     | SPA      | SPA     |
| GW-USB-13A       |             | Generic IQRF / USB Gateway, OLED display, fully user programmable                             | A       | 3        | 1       | 73,50 | 66,15  | SPA     | SPA      | SPA     |
| GW-GSM-02A (52D) | new         | IQRF - GPRS gateway and datalogger. Cloud support. DCTR-52DA inside.                          | A       | 3        | 1       | 99,00 | 89,10  | SPA     | SPA      | SPA     |
| GW-GSM-02A (72D) | new         | IQRF - GPRS gateway and datalogger. Cloud support. DCTR-72DA inside.                          | A       | 3        | 1       | 99,00 | 89,10  | SPA     | SPA      | SPA     |
| RC-03            |             | Remote controller, 3 buttons, programmable, rechargeable LiPol accumulator                    | A       | 3        | 1       | 38,50 | 34,65  | SPA     | SPA      | SPA     |
| RC-04            |             | Remote controller, 4 buttons, programmable  | A       | 3        | 1       | 28,00 | 25,20  | 23,80   | SPA      | SPA     |
| RC-04D           | new         | Remote controller, 4 buttons, serial EEPROM, programmable                                     | A       | 3        | 1       | 28,00 | 25,20  | 23,80   | SPA      | SPA     |
| SHD-SE-01        |             | Multifunctional sensor for Smart House  | A       | 3        | 1       | 39,00 | 35,10  | SPA     | SPA      | SPA     |
| RT-230-05        |             | Router, plug-and-play, to mains socket (Europe only), 110-230 V                               | A       | 3        | 1       | 43,20 | 38,88  | SPA     | SPA      | SPA     |
| DV-SW1-05        |             | Remotely controlled switch, 3A relay, to mains socket (Europe only), 110 - 230 V              | A       | 3        | 1       | 64,00 | 57,60  | SPA     | SPA      | SPA     |

### IQRF Specials

| Ordering code      | Action code | Description                                | Release | LT weeks | PKG QTY | 1+ pc | 5+ pcs | 20+ pcs | 100+ pcs | 1k+ pcs |
|--------------------|-------------|--|---------|----------|---------|-------|--------|---------|----------|---------|
| MID cloning        | special     | MID change for coordinator or node restore | A       | -        | -       | 45,00 | -      | -       | -        | -       |
| Custom programming | special     | Custom program upload, MOQ 200 pcs         | A       | -        | -       | -     | -      | -       | 0,20     | 0,20    |

Effective from  
10/12/2015

# IQRF price list

| Development Tools |             |  |         |          |         |        |        |         |          |         |
|-------------------|-------------|--|---------|----------|---------|--------|--------|---------|----------|---------|
| Ordering code     | Action code | Description  | Release | LT weeks | PKG QTY | 1+ pcs | 5+ pcs | 20+ pcs | 100+ pcs | 1k+ pcs |
| DS-START-04 (72D) | new         | Development set "START" for immediate start with IQRF DCTR-72DAT                         | A       | 3        | 1       | 144,00 | 129,60 | 122,40  | SPA      | SPA     |
| DS-DPA-02 (72D)   | new         | Development set for DPA with DCTR-72DAT  | A       | 3        | 1       | 279,00 | 269,35 | SPA     | SPA      | SPA     |
| DS-START-03       |             | Development set "START" for immediate start with IQRF                                    | A       | 3        | 1       | 149,00 | 134,10 | 126,65  | SPA      | SPA     |
| DS-DPA-01         |             | Development set for DPA  | A       | 3        | 1       | 289,00 | 260,10 | SPA     | SPA      | SPA     |
| DS-WMBUS-01       | EAP         | Development set for Wireless M-Bus   | -       | -        | 1       | 199,00 | 179,10 | 169,15  | SPA      | SPA     |
| DS-VCP-01         |             | Development set for VCP-01   | A       | 3        | 1       | 225,00 | 202,50 | SPA     | SPA      | SPA     |
| DS-VCP-02         |             | Development set for VCP-02   | A       | 3        | 1       | 249,00 | 224,10 | SPA     | SPA      | SPA     |
| DS-PAGER-02       |             | Development set "PAGER" for development of PAGER applications                            | A       | 4        | 1       | 109,00 | 98,10  | 92,65   | SPA      | SPA     |
| DS-SHD-SE-01      |             | Development set for multifunctional sensor SHD-SE-01                                     | A       | 3        | 1       | 73,75  | 66,38  | SPA     | SPA      | SPA     |
| CK-USB-04         |             | IQRF programmer & debugger, via USB. SIM connector with metallic holder                  | A       | 3        | 1       | 55,00  | 49,50  | 46,75   | SPA      | SPA     |
| CK-USB-04A        | new         | IQRF programmer & debugger, via USB. SIM connector with plastic holder                   | A       | 3        | 1       | 55,00  | 49,50  | 46,75   | SPA      | SPA     |
| DK-EVAL-04        |             | Evaluation kit for TRs. DDC base device, LiPol accumulator, plastic SIM connector holder | A       | 3        | 1       | 35,00  | 31,50  | 29,75   | SPA      | SPA     |
| DK-EVAL-04A       | new         | Evaluation kit for TRs. DDC base device, LiPol accumulator, plastic SIM connector holder | A       | 3        | 1       | 35,00  | 31,50  | 29,75   | SPA      | SPA     |
| TRDB-54DA         |             | Two development boards for solderless TR-54DA prototyping                                | A       | 3        | 1       | 29,00  | 26,10  | 24,65   | SPA      | SPA     |
| KON-TR-01P        |             | Programming adapter to upload a code in soldered TR-54D                                  | A       | 3        | 1       | 6,95   | 6,26   | 5,91    | SPA      | SPA     |
| KON-TR-01         |             | Range check adapter for DK-EVAL-04   | A       | 3        | 1       | 6,95   | 6,26   | 5,91    | SPA      | SPA     |
| KON-TR-01L        |             | Adapter for using TR-54DA, similar with DK-EVAL-04                                       | A       | 3        | 1       | 6,95   | 6,26   | 5,91    | SPA      | SPA     |
| DDC-IO-01         |             | DDC I/O kit: 6x I/O, buttons with selectable pull-ups / pull-downs, 6x LED               | A       | 3        | 1       | 27,50  | 24,75  | 23,38   | SPA      | SPA     |
| DDC-SE-01         |             | DDC sensor kit: temperature, voltage, illumination, potentiometer                        | A       | 3        | 1       | 27,50  | 24,75  | 23,38   | SPA      | SPA     |
| DDC-RE-01         |             | DDC relay kit: 2 bistable relays 1A, zero power  | A       | 3        | 1       | 27,50  | 24,75  | 23,38   | SPA      | SPA     |
| CATS-01           |             | RF scanner. Not only for IQRF.   | A       | 3        | 1       | 199,00 | 179,10 | 169,15  | SPA      | SPA     |
| DS-UART           |             | Development set "UART" for UART communication  | A       | 3        | 1       | 79,00  | 71,10  | 67,15   | SPA      | SPA     |
| KON-RASP-01       | new         | Adapter to connect IQRF wireless transceiver to Raspberry Pi                             | A       | 3        | 1       | 6,89   | 6,20   | 5,86    | SPA      | SPA     |
| IQRF-BB-01        | new         | Adapter to connect IQRF transceiver to any device, 3,3V and 5V logic                     | A       | 3        | 1       | 6,70   | 6,03   | 5,70    | SPA      | SPA     |
| IQRF-BB-02        | new         | Adapter to connect IQRF transceiver to any 3.3 V device                                  | A       | 3        | 1       | 4,98   | 4,48   | 4,23    | SPA      | SPA     |
| SW-CC5x-IQRF      |             | C compiler CC5x standard (for registered IQRF users)                                     | A       | 1        | 1       | 220,00 | SPA    | SPA     | SPA      | SPA     |

## Accessories and Others

| Ordering code      | Action code | Description  | Release | LT weeks | PKG QTY | 1+ pcs | 5+ pcs | 20+ pcs | 100+ pcs | 1k+ pcs |
|--------------------|-------------|--|---------|----------|---------|--------|--------|---------|----------|---------|
| BK-CR2032          |             | 3 V lithium battery, coin cell   | A       | 1        | 20      | 0,45   | 0,41   | 0,38    | 0,32     | SPA     |
| CAB-SER-02         |             | Serial cable for UART (RS-232) connectivity between TR and PC                      | A       | 1        | 1       | 16,50  | 14,85  | 14,03   | 11,55    | SPA     |
| CAB-USBABMICRO-100 |             | USB cable: USB A – micro USB, 1,0m   | A       | 1        | 1       | 2,05   | 1,85   | 1,74    | 1,44     | SPA     |
| CAB-USBABMICRO-19  | new         | USB cable: USB A – micro USB, 18,5 cm  | A       | 1        | 1       | 1,23   | 1,11   | 1,05    | 0,86     | SPA     |
| KON-SIM-01         |             | SIM connector for TR modules, 8 pins, SMT  | A       | 1        | 1       | 0,95   | 0,86   | 0,81    | 0,67     | SPA     |
| KON-SIM-02         | new         | SIM connector for TR modules, 8 pins, SMT  | A       | 1        | 1       | 1,90   | 1,71   | 1,62    | 1,33     | SPA     |
| TY-A6A             |             | Power supply adapter, 110-230 V AC >> 5 V DC, 500mA, USB A connector, without cord | A       | 1        | 1       | 5,85   | 5,27   | 4,97    | 4,10     | SPA     |
| DK-PWR-01          |             | Expander to supply/charge up to 5 DK-EVAL-0x kits from one source                  | A       | 2        | 1       | 24,90  | 22,41  | 21,17   | SPA      | SPA     |
| AN-01              |             | Antenna 868 MHz, lacquered, silvered terminal, to be soldered to TR                | A       | 2        | 1       | 1,25   | 1,13   | 1,06    | 0,88     | SPA     |
| AN-06              |             | Antenna 868 / 916 MHz for panel mounting, SMA connector                            | A       | 1        | 1       | 3,90   | 3,51   | 3,32    | 2,73     | SPA     |
| AN-07              |             | Antenna 868 / 916 MHz for panel mounting, SMA connector                            | A       | 1        | 1       | 3,75   | 3,38   | 3,19    | 2,63     | SPA     |
| AN-08              | new         | Yagi antenna 868 MHz, SMA connector  | A       | 1        | 1       | 52,60  | 47,34  | SPA     | SPA      | SPA     |
| AN-09              | new         | Planar antenna 868 MHz, SMA connector, 0,3 m cable                                 | A       | 1        | 1       | 60,07  | 54,07  | SPA     | SPA      | SPA     |
| AN-09(3m)          | new         | Planar antenna 868 MHz, SMA connector, 3 m cable                                   | A       | 1        | 1       | 60,07  | 54,07  | SPA     | SPA      | SPA     |
| AN-D01             |             | PCB antenna 868 / 916 MHz directly solderable to TR module                         | A       | 2        | 1       | 1,25   | 1,13   | 1,06    | 0,88     | SPA     |
| AN-D01-U.FL-100    |             | PCB antenna 868 / 916 MHz with CAB-U.FL-100 soldered                               | A       | 4        | 1       | 4,95   | 4,46   | 4,21    | 3,47     | SPA     |
| AN-D02-433         |             | PCB antenna 433 MHz directly solderable to TR module                               | A       | 2        | 1       | 1,85   | 1,67   | 1,57    | 1,30     | SPA     |
| CAB-U.FL/SMA-05    |             | Antenna cable 5 cm, KON-U.FL-R-SMT >> SMA  | A       | 1        | 20      | 3,45   | 3,11   | 2,93    | 2,42     | SPA     |
| CAB-U.FL/SMA-15    |             | Antenna cable 15 cm, KON-U.FL-R-SMT >> SMA   | A       | 1        | 10      | 3,55   | 3,20   | 3,02    | 2,49     | SPA     |
| CAB-U.FL/SMA-50    |             | Antenna cable 50 cm, KON-U.FL-R-SMT >> SMA   | A       | 1        | 10      | 3,65   | 3,29   | 3,10    | 2,56     | SPA     |
| CAB-U.FL-100       |             | Antenna cable 100cm, KON-U.FL-R-SMT >> wire  | A       | 1        | 1       | 3,65   | 3,29   | 3,10    | 2,56     | SPA     |
| CAB-U.FL-18        |             | Antenna cable 18cm, KON-U.FL-R-SMT >> wire   | A       | 1        | 1       | 3,55   | 3,20   | 3,02    | 2,49     | SPA     |
| KON-U.FL-R-SMT     |             | Coaxial ultra small PCB connector for TR modules to fit CAB-U.FL-xxx               | A       | 1        | 1       | 0,81   | 0,73   | 0,69    | 0,57     | SPA     |

EAP: Early Adopter Program

Prices in EUR, without VAT, subject to change without prior notice. Latest pricing at [www.iqrf.org](http://www.iqrf.org).